## **Functional Job Description: Packer-Nonconvey**

Company:	Fingerhut Fulfillment, Inc.
Job Title:	Packer-Nonconvey
Date:	9/28/2009
Dept/Facility:	West DC, St. Cloud, MN
Product Section:	Outbound
Electronic Doc. #	JFD Packer Nonconvey 9-2009 FINAL





	0 20	J9 FINA	· <b>L</b>							
	Overtime:		ary and/or mand			Breaks:		ninutes ever	ry two hours, one 30 eak.	
Work	Shift:		Days of v	week:			Time:			
Hours	First		Monday-F	riday 7:00 AM to 3:					3:30 PM	
	Second		Monday-F	riday			4	:00 PM to 1	2:30 AM	
		.,								
Job Rotation	on	Yes								
Job Trainir	ag or	Educ	ation/ training:	None requi	red; hi	gh school c	liplom	a or GED p	referred.	
Credentials at Hire			rledge/ itive skills:	Basic math, reading, writing and oral communication skills preferred. Ability to organize work tasks and work independently or as part of a team.						
Machines, T Equipment			held scanner, ha jack, hydraulic li		, pens	markers, k	knife,	scissors, sta	aple puller, telephone,	
Job Purpos Objectives			ng in a team of t ion system for s		s, proc	ess mercha	andise	that canno	t be conveyed on the	
Safety and	Hard	Hat	Steel Toe F	ootwear Safety Glasses			es		Gloves:	
Personal		Shield	☐ Protective 0	Clothing	afety Glasses/Side Shields			Leather		
Protective	☐ Dust I	Mask	☐ Safety Vest			afety Goggles earing Protection*			<ul><li>☐ Rubberized/cloth*</li><li>☐ Chemical</li></ul>	
Equipment Required	•			ion Harness						
*Available			│ ⊠ Back Suppo	ort*	ompensatory methods to tigate heat		thods to			
		Meeting	g and Stretch des:)	Industrial Tru	uck Tra	aining		OSHA Tra Regulation	iining (Rules and ns)	
	Safe	ety Topic	cs	⊠ EZ-Go				New Hire Safety Orientation		
Safety/ Equipment	0-4	ety Polic		☐ Walkie-R	ider			☐ Right to	Know	
Training/		Questions & Answers			☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐			Lockou	t/Tag Out	
Certification			ety Committee	☐ Forklift (s	it dow	٦)			ted Materials Training	
Required	Min			☐ Stand-up Reach Truck				(ORM-D)		
				Order Picker				Supervisor Safety Updates		

#### Functional Job Elements (Refer to video clip for complete details)

% of Shift

#### Position cart/pallet at workstation

- Mechanical work positioner is used for pallets
- Cart is pulled/pushed about 10 " into workstation.
- Typical force to initiate cart movement is 50# with force up to 70# sometimes required.





10

#### 2. Move merchandise to workbench

- If on pallet, work positioner used to place at bench height (36").
- If cart, manually move merchandise from cart (12" height) onto workbench (36")
- Depending on weight/size of package may be performed by one or two persons.
- Weight range: up to 150# (with team lift or equipment), with average of 75#.





20

#### 3. Process merchandise for shipping

- Box is opened with a knife for a large enough slit to allow paper work to be slipped into the box.
- Slit opening is taped shut with a taper.





49

# 4. Push processed merchandise onto the conveyor for shipping

- Box is manually pushed onto the conveyor.
- Maybe performed by one or two persons based on weight/size of the box.





20

#### 5. Retrieve merchandise from trailer

- Sometimes merchandise needs to be retrieved from the shipping trailer for rework.
- Involves manually lifting merchandise from location in the trailer and carrying to the workstation





1

#### **Physical Factors Manual Material Handling** Carry - Two Hands; Front Carry - One Hand; Side **Chest-Overhead** Floor-Knuckle (0" Knuckle-Chest (lbs) Push Pull to 30") (30" to 50') ( > 50") 100 **75** 50 25 15 10 5 0 N R F R 0 C N R 0 F С 0 F С N R 0 С N R O F N R 0 F С N R O F С Exp N

					Pos	sture	s/Mo	veme	nts							
Exp	Sit	Stand	Walk	Bal	Stairs	Lad- der	Foot contrl	Twist Waist	Bend Waist	Squat	Kneel	Crawl	Reach below 54"	Reach above 54"	Flex Static	Ext Stati
С																
F																
0																
R																
N																

	Head/Neck										
1	Flex Static	Ext Static	Rot Static	Flex Dyn	Ext Dyn	Rot Dyn					

	Han	d Use		Sensory					Communication			
Ехр	Simple Grasp	Firm Grasp	Fine Manip	See	Hear	Touch Feel	Taste	Smell	Talk	Read	Write	Hand Signal
С												
F												
0												
R												
N												

	C - Continuous: 67 to 100% of shift					
Key	F - Frequent: 34 to 66% of shift					
	O - Occasional: 6 to 33% of shift					
	R - Rarely: up to 5% of shift					
	N - Never: 0% of shift					
Abbreviations: Bal=Bal, Exp=Exposure, Contrl=Control, Flex=Flexion, Ext=Extension.						

Dyn=Dynamic, Manip=Manipulation

### Position eligible to be considered for temporary modification in conjunction with a Return to Work transitional duty program agreement: Yes

This Functional Job Description was completed through an on-site job analysis by a certified professional ergonomist/licensed physical therapist. It is for the purpose of identifying and quantifying the physical functional requirements of this job. The Functional Job Description should not be construed as a detailed description of all specific job duties and/or tools, equipment and materials that may be necessary or incidental to the performance of this job. Further consideration may be necessary when applying the standards to the injured population in the medical management process.

Mark A Anderson, MA, PT CPE Certified Professional Economist Licensed Physical Therapist

ErgoSystems Consulting Group, Inc. 19285 Shady Hills Road Minneapolis, MN 55331 952-401-9296

mark.anderson@ergosystemsconsulting.com www.ergosystemsconsulting.com This Functional Job Description has been reviewed by company representatives and is believed to be an accurate representation of most of the job content.

Jeff Wolseth

# Q wolean

Manager - Occupational Safety and Health

Paul Hendrickson

Manager - Outbound Operations