	ErgoSystei	ms OFFIC		GONOM	ICS	W	ORKS			=VALUA	ATION	
Evaluator			Stature (no shoes)		Inches					Reason for Assessment		
(contact information)			Shoe H	hoe Heel Height Inches					New employee New workstation			
Eval Date			Handedness		Rig	ght	Left	Amb	Ambidextrous		Medical issue Equipment Issue	
Last Name			Work Hours		Full Time		Part	Part Time		Furniture issue Other		
First Name			User		Single-user Multi-user							
Location	Work Office	Nork Office         Home Office         Vision         No         Reading         Distance           Nork Office         Home Office         Vision         Correction         Computer         Contacts			Bifocal Trifocal							
<b>Company</b> (name and address)			Comments									
Purpose	provide a set of productivity in th	workstation se e workplace. T	t-up speci he 30/30/	fications and 30 rule was	l to offe encour	er re aged	asonable l; this pror	suggest notes m	ions to iicrobre	help improv aks – physic	s, and work process to ve comfort, safety, and cal movement (stretch, days to make it a habit.	
	Chair			Com						Recomme	endation	
Chair ID			Chair fit/adjustment OK Chair not adjusted to full advantage				None Chair adjusted with instructions in					
Legs OK	No	Yes	Chair too small Chair too large Wrong type chair casters Back support not OK				upright "keyboard position" and semi- reclined "conversation position" Replace casters Replace chair (see <i>Recommended</i>					
Casters	Carpet Hard surface	)										
Seatpan	Height Tilt	Tension Slide	Armrests not OK Maintenance issue				Specifications) Repair chair (comment)					
Back	Height Angle		Other (comment)				Othe	r (comment)				
Armrest	Height Side	Rotate										
Maint Issue	No	Yes										
	Worksurface		\ <b>^</b> /		nmen				Nerr		nendation	
Config	Straight Corner	L-shape U-shape		ksurface is a ksurface is to		late			Non Low	e er worksurfa	ce to ( ) inches	
Туре	Fixed Heigh Adjust Heigh	t	Worksurface is too high Would like to discuss options for a				Raise worksurface to ( ) inches Good candidate for a sit/stand					
Sit/Stand – current height	Stand (	) inches ches	<ul> <li>sit/stand workstation.</li> <li>Sit/stand worksurface not properly adjusted</li> <li>Worksurface does not have enough work area.</li> <li>Other (comment)</li> </ul>				ork	workstation (see comment) Discussed protocol to maximize benefi of sit/stand workstation				
Foot/I	eg support/clea	arance		Cor	nmen	t				Recomn	nendation	
Feet	Dangling Supported		Fee	t support app t dangling – i	not sup	porte				footrest to pr	ovide for foot support	
Footrest	No	Yes				ernative foot position			when seated Add footrest to provide for alterna			
Clearance OK	No	Yes	for seated worksurface No footrest for alternative f for sit/stand worksurface Inadequate foot/knee clear Other (comment)			е	·		foot placement when making use of recommended sit/stand workstation Remove foot/knee obstruction Other (comment)			

				Page 2		
	Keyboard		Comment	Recommendation		
Туре	Straight Curved	Articulated Other	Keyboard type and location appropriate Keyboard location does not allow	None Adjusted keyboard position and		
Location	Worksurface Tray	_	neutral arm/hand position Keyboard type does not allow neutral arm/hand position	provided user instruction Replace keyboard Add gel keyboard wrist rest Other (comment)		
Technique	Piano Playe Forearm Su		No wrist rest in use for support Other (comment)			
Wrist Rest	No	Yes				
Maint	No	Yes				
	Mouse		Comment	Recommendation		
	Shell	Touchpad	Mouse type and location appropriate	None		
Туре	Rollerball Vertical	Other	Mouse type does not allow neutral arm/hand position Mouse location does not allow neutral	Adjusted mouse position and provided user instruction		
Location	Work surfac Tray	e	arm/hand position Mouse wrist rest in the way	Replace mouse (see comment) Remove mouse wrist rest Other (comment)		
Hand Used	Right Left		Other (comment)			
Set-up OK	No	Yes				
	Keyboard Tray		Comment	Recommendation		
Tray in			No keyboard tray, none is needed	None		
Use Height	No	Yes	Keyboard tray appropriate Keyboard tray limits reach access to	Continue to use keyboard tray Adjusted keyboard tray position and		
Adjust Angle	NA No		worksurface Tray location does not allow neutral	provided user instruction Remove keyboard tray		
Adjust	NA NO	o Yes	hand/arm position Tray type does not allow neutral	Modify mouse tray to support mouse at same level as keyboard		
Size Fits			arm/hand position Tray mouse platform does not position mouse at same height as keyboard	Add keyboard/mouse tray (see comment) Other (comment)		
			Other (comment)			
	Computer		Comment	Recommendation		
Туре	Computer Desktop Laptop		Comment Computer type and location are appropriate	None Reposition computer out of the way		
Type Location	Desktop	e	Comment Computer type and location are	None		
	Desktop Laptop Work surfac	e	Comment Computer type and location are appropriate Computer in the way	None Reposition computer out of the way		
	Desktop Laptop Work surfac	e	Comment Computer type and location are appropriate Computer in the way	None Reposition computer out of the way		
	Desktop Laptop Work surfac Floor	e	Comment Computer type and location are appropriate Computer in the way Other (comment)	None Reposition computer out of the way Other (comment)		
Location	Desktop Laptop Work surfac Floor Monitor Single Dual	nary	Comment         Computer type and location are appropriate         Computer in the way         Other (comment)         Comment         Monitor type and location appropriate Monitor too low	None Reposition computer out of the way Other (comment) Recommendation None Adjusted monitor position and provided user instruction Add monitor arm (comment) Add monitor riser (comment)		
Location	Desktop Laptop Work surfac Floor Monitor Single Dual More Primary/Prir	nary	Comment         Computer type and location are appropriate         Computer in the way         Other (comment)         Comment         Monitor type and location appropriate         Monitor type and location appropriate         Monitor too low         Monitor too high         Monitor too close	None Reposition computer out of the way Other (comment) Recommendation None Adjusted monitor position and provided user instruction Add monitor arm (comment) Add monitor riser (comment) Adjusted monitor resolution and provided user instruction		
Location Number Viewing Position	Desktop Laptop Work surface Floor Monitor Single Dual More Primary/Prir Primary/Sec	nary condary	Comment         Computer type and location are appropriate         Computer in the way         Other (comment)         Comment         Monitor type and location appropriate         Monitor type and location appropriate         Monitor too low         Monitor too close         Monitor too far away         Monitor side-to-side alignment issue	None Reposition computer out of the way Other (comment) Recommendation None Adjusted monitor position and provided user instruction Add monitor arm (comment) Add monitor riser (comment) Adjusted monitor resolution and		
Location Number Viewing Position OK Adjust	Desktop Laptop Work surfac Floor Monitor Single Dual More Primary/Prir Primary/Sec No	nary condary Yes	Comment         Computer type and location are appropriate         Computer in the way         Other (comment)         Comment         Monitor type and location appropriate         Monitor type and location appropriate         Monitor too low         Monitor too close         Monitor too far away         Monitor side-to-side alignment issue         Monitor resolution not appropriate.	None Reposition computer out of the way Other (comment) Recommendation None Adjusted monitor position and provided user instruction Add monitor arm (comment) Add monitor riser (comment) Adjusted monitor resolution and provided user instruction		

Version FILLNOPICPDF11142020

Document holder			Comment	Recommendation		
Holder Format Location	No NA Portrait Landscape NA Side of mon Between keyboard/m		Document holder OK No document holder in use - not needed No document holder in use - awkward head/neck position Other(comment)	None Add landscape holder Add portrait holder Other (comment)		
	Telephone		Comment	Recommendation		
Type Location	Handset Headset Left	Speaker Mobile Right	Telephone type and location appropriate Telephone located in awkward position Awkward head/neck position with handset use	None Reposition telephone Add headset to allow for hands-free operation		
	Storago		Comment	Recommendation		
Deaktan	Storage					
Desktop OK	No	Yes	Adequate desktop and file storage Limited desktop storage	None Housecleaning to free up desktop space		
File OK	No	Yes	Limited file storage Other (comment)	Add additional file storage Other (comment)		
	Illumination		Comment	Recommendation		
Overhead OK	No	Yes	Ambient and task lighting appropriate Ambient light level too high	None Decrease ambient light level		
Task OK	No	Yes	Ambient light level too low Task lighting too low Task lighting too high Other (comment)	Increase ambient light level Add desktop task light Remove desktop task light Other (comment)		

			Recommended Specifications (inches)	
Specification	Sit	Stand	Description	Кеу
Seatpan height:			Seatpan height: distance from floor to seatpan (at side	
, ,			of seatpan) with user in chair.	
			Seatpan depth: distance from back support to front of	Monitor
Seatpan depth:			seatpan and allows for 1.5 to 2" of space between back	
			of knee and front of seatpan.	
			Seatpan width: outside distance from side-to-side of	
Seatpan width:			seatpan; allows for 1.5 to 2" between thigh and edge of	
			seatpan.	
Armrest height:			Armrest height: distance from top of armrest to floor.	Monitor Height
Armrest width			Armrest width: distance between armrests measured	
Anniest width			from outside edge of each armrest.	Keyboard
Writing / reading			Worksurface height: (writing/reading desk) distance	Armrest Manager Manager
desk:			from floor to top surface of worksurface.	Height Height Height
Keyboard /			Keyboard/mouse height: distance from floor to top	Seatpan Height
mouse height:			surface of platform that keyboard/mouse rest on.	
Monitor height:			Monitor height: height from floor to top of monitor	
Monitor neight.			screen (not top of monitor bezel).	Seatpan Depth
Monitor			Monitor distance: from eye position (bridge of nose	
distance:			between eyes) to screen.	

ErgoSystems Consulting Group, Inc. <u>www.ergosystemsconsulting.com</u>

Version FILLNOPICPDF11142020

Product Recommendations					
Image	Product Description (Model, Cost, Order Information, etc.)				

 Follow-up

 Date:

 Date:

Common Keyboard Shortcuts							
[CTRL] – A	Select "all" on a page	[CTRL] – S Saves current file		[ALT] – F4	Close current program		
[CTRL] – B	Apply " <b>bold</b> " to selection <b>[CTRL] – U</b> Apply " <u>underlining</u> " to selection		Apply " <u>underlining</u> " to selection	[ALT] – Tab	Toggles user through all open programs		
[CTRL] – C	Copy the selection	[CTRL] – V	Paste contents of clipboard	[Home]	Move to beginning of current line		
[CTRL] – F	Find particular text on a page	[CTRL] – W	Same as File > Close	[End]	Move to end of current line		
[CTRL] – I	Apply <i>"italics"</i> to selection	[CTRL] – X	Cut the selection	[CTRL] – Home	Return to "Home" position (upper left) of window		
[CTRL] – O	Same as File > Open	[CTRL] – Y	Redo last action	[CTRL] – End	Move to "End" position (lower right) of window		
[CTRL] – P	Print	[CTRL] – Z	Undo last action	[Tab]	Tab forward through fields		
[CTRL] – R	Refresh current page			[SHIFT] – Tab	Move backward when tabbing through fields		